



elemento de fusível DIAZED tamanho da estrutura DII In=20A In=500V CA/440V CC classe de operação gG

Versão	
nome da marca do produto	SENTRON
designação do produto	DIAZED-Fusível
versão do produto	com protecções ...e condutores
versão do elemento fusível	Elemento fusível DIAZED
Dados técnicos gerais	
classe da característica de disparo	Outros
tamanho do sistema de fusíveis segundo a DIN EN 60269-1	DII
classe de operação do elemento fusível	gG
Tensão de alimentação	
tensão de alimentação com CC	440 V
Classe de proteção	
classe de proteção IP	IP20, com condutores ligados
Capacidade de comutação	
capacidade de comutação corrente com CC segundo a IEC 60947-2 valor estipulado	8 kA
Dissipação	
potência de perda [W]	2,6 W
potência de perda [W] com valor estipulado de corrente com CA com estado de funcionamento quente por polo	2,6 W
Aparência	
marcação a cor do elemento fusível	Azul
Detalhes do produto	
descrição do produto	através de para...s calibrados
Projeto mecânico	
posição de montagem	Opcional, preferível vertical
peso líquido	30 g
Condições ambientais	
temperatura ambiente durante o funcionamento	
• mínimo	-5 °C
• máximo	40 °C
categoria ambiental	até 45°C com 95...ade relativa
categoria ambiental durante o armazenamento	humidade do ar de 90% a 20°C
Homologações certificados	
General Product Approval	other



[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

Outras informações

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=5SB2711>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/5SB2711>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SB2711

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

última alteração:

19/08/2022 

